PRINCE OF SONGKLA UNIVERSITY FACULTY OF ENIGNEERING

Final Examination: Semester I Date: 6 October 2003 Subject: 240- 571, 240-572, 240-576 Principles of Pattern Recognition Academic Year: 2003 Time: 9:00-12:00 Room:

Instructions:

This exam has 3 problems, 9 pages and 50 points. Please show all your work. If your answer is incorrect, this will maximize your partial credit for a problem. If your answer is correct, this is <u>required</u> for full credit. You may use the back of the pages for scratch work. This exam is <u>closed book</u> and <u>closed notes</u>. You are allowed to bring a calculator and one A4 sheet of notes (two sides) into the exam room.

<u>Problem</u>	Points	<u>Score</u>
1	20	
2	20	
3	10	

Name:_____

Student ID:

Problem 1

Given two 3-state hidden Markov models each one is defined by a transitional probability matrix and a symbol emission probability matrix as shown below:

HMM 1:	$A1 = \begin{bmatrix} 0.3\\0\\0 \end{bmatrix}$	5 0.5 0.5 0	0 0.5 1	<i>B</i> 1 =	0.2 0.1 0.6	0.2 0.3 0.1	0.2 0.4 01.	0.2 0.1 01.	0.2 0.1 0.1]
HMM 2:	$A2 = \begin{bmatrix} 0.0\\0\\0 \end{bmatrix}$	6 0.4 0.4 0	0 0.6 1	B2=	0.2 0.2 0.5	0.2 0.2 0.1	0.3 0.4 01.	0.1 0.1 01.	0.2 0.1 0.2

Let the set of possible emitting symbols (V_k) be $\{a, b, c, d, e\}$

Ignore the entry and exit states and assume that state 1 is the first state and state 3 is the last state. Answer the following questions:

a) Sketch the two HMM's and label each link with the appropriate probability.


b) Determine, using Trellis diagram, the most likely model that generates the following symbol sequence:

 $V_k = \{bbbcca\}$

c) From the most likely model obtained in part (b), determine the most likely state sequence.

Problem 2

A single neuron has two inputs and a bias term as shown:



This problem deals with the algorithm for adjusting the 3 weights to minimize the error measure

$$J = (t-z)^4$$

Assume the neurons are unipolar sigmoid, i.e.

$$f(net) = \frac{1}{1 + e^{-net}}$$

a) Determine specific equations for the gradient of J, using all 3 weights. That is, determine

$$\frac{\partial J}{\partial W_1}$$
, $\frac{\partial J}{\partial W_2}$, and $\frac{\partial J}{\partial W_3}$

b) Numerically evaluate the equations from part a if $x_1=1$, $x_2=0$, $W_1=W_2=W_3=t=1$.

c) Determine the next updated values of the weights, using a gradient search technique, and a learning rate of 1.

d) Compute and compare errors before and after the weight adjustment.

Problem 3

Given a set of 2D patterns

Pattern 1(1,2)Pattern 2(2,3)Pattern 3(2,2)Pattern 4(5,1)Pattern 5(4,2)

a) Use the k-mean clustering technique to cluster the patterns into two categories. Show the cluster's center of each category

b) Pattern (3,3) should belong to which class?

----- End of Exam -----