

PRINCE OF SONGKLA UNIVERSITY
FACULTY OF ENGINEERING
Department of Computer Engineering

Final Examination: Semester 1
Date: 6th October, 2010
Subject Number: 241-437
Subject Title: Compiler Structures
Lecturer: Aj. Andrew Davison

Academic Year: 2010-2011
Time: 9:00 – 12:00 (**3 hours**)
Room: R201

Exam Duration: 3 hours

This paper has 3 pages.

Authorized Materials:

- Writing instruments (e.g. pens, pencils).
- Books (e.g. dictionaries) and calculators are **not** permitted.

Instructions to Students:

- *Answer questions in English.* Perfect English is **not** required.
- Attempt all questions.
- Write your answers in an answer book.
- Start your answer to each question on a new page
- Clearly number your answers.
- Any unreadable parts will be considered wrong.
- When writing programs, use good layout, and short comments; marks will not be deducted for minor syntax errors.
- The marks for each part of a question are given in brackets (...).

Question 1

(80 minutes; 80 marks)

- a) Use shift-reduce parsing to evaluate the string "adedefb" against the grammar:

$$S \rightarrow a A b$$

$$A \rightarrow d e A \mid f$$

S and A are non-terminals, and a, b, d, e, and f are terminals. S is the starting non-terminal. (10)

- b) **Briefly** explain the following LR table generation techniques:

- LR(0) items (5)
- the closure() function (5)
- the goto() function (5)

- c) Produce a LR parse table for the grammar in part (a) using the techniques of part (b). Show **all** your working. (40)

- d) Evaluate the string "adedefb" using your LR parse table from part (c). (15)

Question 2

(55 minutes; 55 marks)

- a) Explain yacc by specifying the main sections of a typical yacc program. (10)

- b) What is an attribute grammar? (10)

- c) Define an attribute grammar for the context free grammar given below: (15)

$$\text{Colour} \rightarrow \text{Ops}$$

$$\text{Ops} \rightarrow \text{Ops Op} \mid \epsilon$$

$$\text{Op} \rightarrow (\text{red} \mid \text{green} \mid \text{blue}) (\text{more} \mid \text{less})$$

Colour, Ops, and Op are non-terminals, while red, green, blue, more, and less are terminals. Colour is the starting non-terminal.

A Colour sentence specifies a value for a colour in terms of its red, green, and blue components. Each component can range between 0.0 and 1.0.

A more operation increases a component's value by 0.1, a less operation decreases it by 0.1

Initially the colour has (red, green, blue) component values of (0.5, 0.5, 0.5) before the operations in a colour sentence modify them.

- d) Write a yacc grammar which implements your attribute grammar of part (c).

Explain in words what data types you have defined.

Note: do **not** write a lex grammar. (20)

Question 3 on the next page.

Question 3

(45 minutes; 45 marks)

- a) What is intermediate code? Give some **brief** examples of the different kinds. (15)
- b) Describe the stack-based intermediate code used by the expressions language. Do **not** include any parser code, but include diagrams where possible. (10)
- c) Translate the expressions program:

```
let w = 3 + x
w / 2
```

into intermediate code. Explain the translation in words. Do **not** include any parser code, but include diagrams where possible. (10)

- d) Evaluate the intermediate code of part (c). Show all your working. Do **not** include any parser code, but include diagrams where possible. (10)

--- *End of Examination* ---