

Name: \_\_\_\_\_ Student ID \_\_\_\_\_

**Prince of Songkla University  
Faculty of Engineering**

**Exam: Final Exam, Semester II  
Date: February 20, 2013  
Subject: 230-560 Food Unit Operations**

**Academic Year: 2012 – 2013  
Time: 1:30 – 4:30 PM  
Room: A401**

**ทฤษฎีในการสอบโทษขั้นต่ำคือ ปรับตกในรายวิชาที่ทฤษฎี และพักการเรียน 1 ภาคการศึกษา**

**Instructions: This exam is a Closed Book Exam. The points for each problem are not distributed evenly. Place your name and the student ID number on every page. Students are allowed to use only a pen or pencil and a calculator. Write your English Nickname and your Team Name above.**

<b>Points Distribution (For Grader Only)</b>		
<b>Part</b>	<b>Points Value</b>	<b>Score</b>
<b>I</b>	<b>35</b>	
<b>II</b>	<b>40</b>	
<b>III</b>	<b>30</b>	
<b>IV</b>	<b>25</b>	
<b>V</b>	<b>15</b>	
<b>VI</b>	<b>35</b>	
<b>Total</b>	<b>180</b>	

**Exam prepared by  
Ram Yamsaengsung  
February 12, 2013**

**PLEASE CHECK TO MAKE SURE THAT  
YOU HAVE ALL 16 PAGES OF THE EXAM BEFORE BEGINNING  
(not including the cover sheet).  
GOOD LUCK!**

**Prince of Songkla University**  
**Faculty of Engineering**

**Exam: Final Exam, Semester II**  
**Date: February 20, 2013**  
**Subject: 230-560 Food Unit Operations**

**Academic Year: 2012 – 2013**  
**Time: 1:30 – 4:30 PM**  
**Room: A401**

---


ทฤษฎีในการสอบโทษขั้นต่ำคือ ปรับตกในรายวิชาที่ทฤษฎี และพักการเรียน 1 ภาคการศึกษา

**CLOSED BOOK EXAM (180 points)**

**Part I. Fill in the blanks (35 points)**

1. The two types of flow direction that can occur in a double-pipe tubular heat exchanger are \_\_\_\_\_ and \_\_\_\_\_.
2. There are two major types of heat exchangers. The \_\_\_\_\_ type includes the steam infusion and surface injection, while the \_\_\_\_\_ type includes the plate, tubular, shell-in-tube, and scraped surface.
3. For turbulent flow to occur in Power-Law and Bingham Plastic fluids, the Reynolds ( $N_{Re,PL}$  or  $N_{Re,B}$ ) number must be more than the \_\_\_\_\_.
4. \_\_\_\_\_ can be used to fry high sugar products such as ripened bananas and durian chips.
5. For \_\_\_\_\_ (laminar/turbulent) flow of \_\_\_\_\_ (Newtonian/Power-Law/Herschel Bulkley/Bingham Plastic), the kinetic energy correction factor ( $\alpha$ ) is always 1.
6. The \_\_\_\_\_ (negative/positive) sign in the heat conduction equation indicates that heat flows from high temperature region to low temperature region.
7. Superior quality products require \_\_\_\_\_ (high/low) temperature and \_\_\_\_\_ (long/short) time for thermal treatment.
8. The \_\_\_\_\_ heat exchanger is useful in removing fouling from the tube wall.
9. \_\_\_\_\_ is the process of using heat from the processed product to raise the temperature of the incoming “raw” product.
10. It is easier for material with \_\_\_\_\_ (high/low) yield stress to achieve turbulence.
11. The \_\_\_\_\_ is the amount of temperature increase required to cause a 90% reduction in the decimal reduction time.
12. Conduction heat flux is proportional to the \_\_\_\_\_ of the material and inversely proportional to the \_\_\_\_\_ of the material.
13. \_\_\_\_\_ convection is due to the density difference caused by temperature gradients or turbulent flow, while \_\_\_\_\_ convection involves the use of some mechanical means, such as pumps or fans, to induce the movement of the fluid.
14. Sterilization takes place at about \_\_\_\_\_ degree Celsius.

15. The two major types of friction losses that occur in the flow of fluid through a pipe are from \_\_\_\_\_ and \_\_\_\_\_.
16. The thermal process that produces products that require refrigeration is called \_\_\_\_\_.
17. The \_\_\_\_\_ can be obtained by plotting a semi-log plot between the decimal reduction time and temperature.
18. Products in glass containers require \_\_\_\_\_ (quick/slow) heating and cooling for an effective thermal treatment.
19. Chemical preservatives, such as \_\_\_\_\_ and \_\_\_\_\_, can be added to foods to help prevent microbial growths.
20. The decimal reduction time \_\_\_\_\_ (increases/decreases) with increasing process temperature.
21. Most microorganisms can grow best at \_\_\_\_\_ (low/intermediate) pH and \_\_\_\_\_ (high/low)  $a_w$ .
22. The metabolic activity of microorganisms can \_\_\_\_\_ (increase/decrease) the pH of foods.
23. During thermal processing, the population of the microorganisms is reduced in a \_\_\_\_\_ (linear/logarithmic) manner.
24. Rapid freezing \_\_\_\_\_ (increases/decreases) the number of nuclei formed.
25. The \_\_\_\_\_ is generally 12 times that of the decimal reduction time.
26. The \_\_\_\_\_ is a plot between the change in microbial population versus thermal treatment time.




**Part II. Flow Through Pipe (40 points) For chemical engineering students only.**

1. Beginning with the relationship between shear stress and shear rate, derive the velocity profile for a Power Law fluid flowing through a tube viscometer. Show all your work. (10 points)

$$\boxed{\sigma = K\dot{\gamma}^n} \quad \boxed{\sigma = \frac{\Delta P r}{2L}} \quad \boxed{\dot{\gamma} = -du/dr}$$

$$u(r) = \left[ \frac{\Delta P}{2LK} \right]^{1/n} \left[ \frac{n}{n+1} \right] \left[ R^{\frac{(n+1)}{n}} - r^{\frac{(n+1)}{n}} \right] \quad (1)$$

2. Consider a typical flow illustrated in Figure 1 below. The system has a 3.0 cm diameter pipe with a volumetric flow rate of  $1.55 \times 10^{-3} \text{ m}^3/\text{s}$ . The density of the fluid is constant ( $\rho = 1,300 \text{ kg/m}^3$ ) and the pressure drop across the strainer is 200 kPa. Additional friction losses occur in the entrance, the plug valve and in the three long radius elbows. **(30 points)**



**Figure 1: Pipeline system for above.**

- (a) What is the mass flow rate (kg/s) and the average velocity (m/s) of the product? **(5 points)**
- (b) For flow of a Power-Law fluid with a  $K = 4.5 \text{ Pa s}^n$  and  $n = 0.40$ , is the flow laminar or turbulent. **(10 points)**

(c) If the total length of the pipe is 12.5 m and the distance from the pump to the pipe discharge is 3 m, determine the work input and the pressure drop. Use the following information to help you with the calculations. **(15 points)**

-  $k_f$ , long radius elbow = 0.45

-  $k_f$ , plug valve (disc) = 9.0

**Part III. Shorts Answers (30 points)**

1. Name 2 types of refrigerants that are commonly used in freezing systems. **(2 points)**
  
2. Name 6 different units or ways that can be used to cook chicken. **(3 points)**
  
3. What is the difference between PSL and HQL? **(4 points)**
  
4. Draw a typical drying curve (plot between the moisture content and the drying time) for dried bananas. Name 3 major drying parameters that affect the rate of drying of food products? What is the general final moisture content for dried or fried snack food? **(6 points)**

5. What is the difference between the crust region and the crumb region of a product? Draw a picture showing these regions and give 2 examples of foods that have both regions. **(5 points)**

6. Discuss the heat and mass transfer processes that take place during the frying of French fries. Draw a diagram and use arrows to show direction of heat and mass transfer. What are some major differences between French fries and potato chips? **(10 points)**



**Part IV. Short Calculations For Chemical Engineering Students Only. (25 points)**

1. For the pasteurization of guava juice, a regenerative heating/cooling section is used. After the “starter” raw juice has been heated to 80°C, it is passed through a holding loop and into a regeneration section. The juice then heats up the incoming raw juice from 25°C to 73°C. While the “starter” juice temperature decreases to 30°C. Compute the % regeneration of the system. **(5 points)**
  
2. For Problem 2, what is the flow rate of the chilled water required to reduce the temperature of pasteurized juice from 30°C to 5°C? The specific heat of guava juice is 3.85 kJ/kg°C and the specific heat of the chilled water is 4.18 kJ/kg°C, and the mass flow rate of the guava juice is 250 kg/hr. Chilled water enters the heat exchanger counter-currently at 2°C and leaves at 10°C. **(5 points)**
  
3. For a countercurrent flow regime in Problem 2, if a double pipe heat exchanger is used, what is the LMTD of the system? What is the length of the pipe if the internal diameter of the pipe is 5 cm and the overall heat transfer coefficient is 1,200 W/m<sup>2</sup> K? **(10 points)**

4. The results of a thermal resistance experiment gave a D value of 7.5 minutes at 108°C. If there were  $9.5 \times 10^9$  survivors after 15 minutes of processing, determine the microbial population, N, at 10, 20, and 30 minutes. **(5 points)**

5. If the decimal reduction time at 105°C,  $D_{105}$ , is 7.5 minutes, how long does it take to reduce the number of microorganisms from 80,000,000,000 to 1 at 122.5°C if the thermal resistance constant equals 5.0°C? **(5 points)**


**Part V. Answer the following questions based on your trip to Tesco Lotus Bakery, Hat Yai. (15 points)**

- (1) Name the 5 sections in which the Lotus Bakery is divided into. **(5 points)**
  
- (2) What is the top selling product at Lotus Bakery? **(2 points)**
  
- (3) What does DC stand for? **(2 points)**
  
- (4) What is the average temperature and relative humidity used in making dough rise at the Lotus Bakery? **(2 points)**
  
- (5) What are the temperatures used to bake bread and frying doughnuts at the Lotus Bakery? **(2 points)**
  
- (6) Why must bread be cooled before slicing? Give 2 reasons. **(2 points)**



3. Name the following product and commercial processes that your friends presented based on the information given. You must be EXACT to obtain full credit. (9 points)

- 3.1 Shrimp, Kiwi, Shrimp Eggs: \_\_\_\_\_.
- 3.2 Eggs, Flour, Shrimp, Potato: \_\_\_\_\_.
- 3.3 Pork, Tempura Flour, Cooking Oil, Garlic: \_\_\_\_\_.
- 3.4 Chicken, Cheese, Flour, Carrots, Cooking Oil, Eggs: \_\_\_\_\_.
- 3.5 Crackers, Oreos, Chocolate: \_\_\_\_\_.
- 3.6 Pork, Eggs, Flour, Bread Crumbs, Cooking Oil : \_\_\_\_\_.
- 3.7 Tomato Sauce, Oregano, Cheese, Chicken: \_\_\_\_\_.
- 3.8 Bread, Raisins, Eggs: \_\_\_\_\_.
- 3.9 Eggs, Rice, Bacon, Cooking Oil: \_\_\_\_\_.



4. You just won the Thailand lottery worth 10,000,000 baht and have inside news that countries in the Middle East, Europe, and China are very interested in Thai desserts and snacks. Using YOUR TEAM'S PRODUCT, discuss your new dessert or snack products that you plan to export to Europe, China or the Middle East. List the **major ingredients, how to make it, what processes and equipment** will you need, how to **package it, the price per unit, the units per package, etc.** Finally, discuss additional **marketing strategies** that could be used to increase profit. Don't forget to **name your product** and give a slogan. (15 points)

**For Non-chemical Engineering Students: YOU MUST WRITE IN ENGLISH.**

1. This problem will be worth 40 points. (Counted as score for PART II).
2. You must also **CREATE A PACKAGING DESIGN** for your product. Draw it the space provided. This drawing will be worth 15 points and counted for this section.

**BONUS: What song did N'Bright performed to at the Saengthong Christmas Party 2012 this past December?**

**Useful Equations:**

$$\sigma = \frac{\Delta Pr}{2L}$$

$$Q = \int_0^R u(r) 2\pi r dr = \bar{u} A$$

$$\frac{u_{\max}}{\bar{u}} = \frac{1+3n}{1+n}$$

$$\alpha = \frac{2(2n+1)(5n+3)}{3(3n+1)^2}$$

$$\left( \frac{(\bar{u}_2)^2 - (\bar{u}_1)^2}{\alpha} \right) + g(z_2 - z_1) + \frac{P_2 - P_1}{\rho} + \Sigma F + W = 0$$

$$\Sigma F = \frac{2f(\bar{u})^2 L}{D} + \frac{\Sigma k_f (\bar{u})^2}{2}$$

$$(N_{Re,PL})_{critical} = \frac{6464n}{(1+3n)^2 \left( \frac{1}{2+n} \right)^{(2+n)/(1+n)}}$$

$$N_{Re,PL} = \left( \frac{D^n (\bar{u})^{2-n} \rho}{8^{n-1} K} \right) \left( \frac{4n}{3n+1} \right)^n$$

$$\frac{N}{N_0} = \left( 10 \frac{l}{D} \right)$$



$$\frac{1}{r} = (N_0) \left( 10 \frac{l}{D} \right)$$

$$f = \frac{16}{N_{Re,pl}}$$

$$k_f = A/N$$

$$A = (k_f)_{turbulent} (500)$$

$$z = \frac{T_2 - T_1}{\log D_{T_1} - \log D_{T_2}}$$



**END OF EXAM!  
CONGRATULATIONS!  
GOOD LUCK ON YOUR JOB SEARCH  
AND  
HAVE A GOOD VACATION!**